



UCS C シリーズ : ホスト OS - ゲスト OS ソフトウェア / ハードウェア相互運用性マトリクス

【注意】 シスコ製品をご使用になる前に、安全上の注意 (www.cisco.com/jp/go/safety_warning/) をご確認ください。

本書は、米国シスコ発行ドキュメントの参考和訳です。リンク情報につきましては、日本語版掲載時点で、英語版にアップデートがあり、リンク先のページが移動 / 変更されている場合がありますことをご了承ください。

あくまでも参考和訳となりますので、正式な内容については米国サイトのドキュメントを参照ください。

また、契約等の記述については、弊社販売パートナー、または、弊社担当者にご確認ください。

このドキュメントには、シスコまたはシスコのパートナー、またはその両方によってテストされ、検証された Cisco Unified Computing System のコンポーネントと設定の相互運用性マトリクスを記載しています。サポートされたハードウェアおよびソフトウェアの参照用に使用してください。

このマニュアルの構成は、次のとおりです。

- 「対象読者」 (P.2)
- 「日本語オペレーティング システム相互運用性マトリクス」 (P.2)
- 「アダプタ相互運用性マトリクス」 (P.6)
- 「関連資料」 (P.13)

対象読者

このドキュメントは、シスコの販売担当者、サポート エンジニア、専門サービス パートナー、およびデータセンター環境における Unified Computing System の設計および導入に対して責任を持つシステム管理者が使用することを目的として作成されています。

日本語オペレーティング システム相互運用性マトリクス

表 1 は、Unified Computing System ブレード サーバがサポートしているオペレーティング システムのリストです。



(注) CIMC の C シリーズ サーバの最新バージョンは **1.2(2f)** です。

表 1 オペレーティング システム

ブレード サーバ	オペレーティング システム (ホスト OS/ ゲスト OS)	ベンダー	注記
UCS C210M2 Rack Mount Server	Microsoft Hyper-v server 2008 R2/Windows 7 Professional with Service Pack 1 (x64)	Microsoft/Microsoft	
UCS C210M2 Rack Mount Server	Microsoft Hyper-v server 2008 R2/Windows 7 Enterprise with Service Pack 1 (x64)	Microsoft/Microsoft	
UCS C210M2 Rack Mount Server	Microsoft Hyper-v server 2008 R2/Windows Server 2003 Service Pack 2 (x64)	Microsoft/Microsoft	
UCS C210M2 Rack Mount Server	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2, Datacenter x64 Edition with SP2	Microsoft/Microsoft	
UCS C210M2 Rack Mount Server	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2, Enterprise x64 Edition with SP2	Microsoft/Microsoft	
UCS C210M2 Rack Mount Server	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2, Standard x64 Edition with SP2	Microsoft/Microsoft	
UCS C210M2 Rack Mount Server	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2 32bit	Microsoft/Microsoft	
UCS C210M2 Rack Mount Server	Microsoft Hyper-v server 2008 R2/Windows Server 2008 R2 (x64)	Microsoft/Microsoft	
UCS C210M2 Rack Mount Server	Microsoft Hyper-v server 2008 R2/Windows Server 2008 R2 SP1(x64)	Microsoft/Microsoft	
UCS C210M2 Rack Mount Server	Microsoft Hyper-v server 2008 R2/Windows Server 2008 (x64)	Microsoft/Microsoft	
UCS C210M2 Rack Mount Server	Microsoft Hyper-v server 2008 R2/Windows Server 2008 SP2 (x64)	Microsoft/Microsoft	
UCS C210M2 Rack Mount Server	Microsoft Hyper-v server 2008 R2/SUSE Linux Enterprise Server 11.1 64bit	Microsoft/Novell	
UCS C210M2 Rack Mount Server	Microsoft Hyper-v server 2008 R2/Redhat Enterprise Linux 5.6 64bit	Microsoft/Redhat	
UCS C210M2 Rack Mount Server	Microsoft Hyper-v server 2008 R2/Redhat Enterprise Linux 6.1 64bit	Microsoft/Redhat	

ブレードサーバ	オペレーティングシステム (ホスト OS/ ゲスト OS)	ベンダー	注記
UCS C210M2 Rack Mount Server	ESXi 4.1/Windows 7 Professional with Service Pack 1 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1/Windows 7 Enterprise with Service Pack 1 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1/Windows Server 2003 Service Pack 2 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1/Windows Server 2003 R2, Datacenter x64 Edition with SP2	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1/Windows Server 2003 R2, Enterprise x64 Edition with SP2	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1/Windows Server 2003 R2, Standard x64 Edition with SP2	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1/Windows Server 2003 R2 32bit	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1/Windows Server 2008 R2 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1/Windows Server 2008 R2 SP1(x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1/Windows Server 2008 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1/Windows Server 2008 SP2 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1/SUSE Linux Enterprise Server 11.1 64bit	VMWare/Novell	
UCS C210M2 Rack Mount Server	ESXi 4.1/Redhat Enterprise Linux 5.6 64bit	VMWare/Redhat	
UCS C210M2 Rack Mount Server	ESXi 4.1/Redhat Enterprise Linux 6.1 64bit	VMWare/Redhat	
UCS C210M2 Rack Mount Server	ESXi 4.1 U1/Windows 7 Professional with Service Pack 1 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1 U1/Windows 7 Enterprise with Service Pack 1 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1 U1/Windows Server 2003 Service Pack 2 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1 U1/Windows Server 2003 R2, Datacenter x64 Edition with SP2	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1 U1/Windows Server 2003 R2, Enterprise x64 Edition with SP2	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1 U1/Windows Server 2003 R2, Standard x64 Edition with SP2	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1 U1/Windows Server 2003 R2 32bit	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1 U1/Windows Server 2008 R2 (x64)	VMWare/Microsoft	

ブレード サーバ	オペレーティング システム (ホスト OS/ ゲスト OS)	ベンダー	注記
UCS C210M2 Rack Mount Server	ESXi 4.1 U1/Windows Server 2008 R2 SP1(x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1 U1/Windows Server 2008 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1 U1/Windows Server 2008 SP2 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1 U1/SUSE Linux Enterprise Server 11.1 64bit	VMWare/Novell	
UCS C210M2 Rack Mount Server	ESXi 4.1 U1/Redhat Enterprise Linux 5.6 64bit	VMWare/Redhat	
UCS C210M2 Rack Mount Server	ESXi 4.1 U1/Redhat Enterprise Linux 6.1 64bit	VMWare/Redhat	
UCS C210M2 Rack Mount Server	ESXi 5.0/Windows 7 Professional with Service Pack 1 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 5.0/Windows 7 Enterprise with Service Pack 1 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 5.0/Windows Server 2003 Service Pack 2 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 5.0/Windows Server 2003 R2, Datacenter x64 Edition with SP2	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 5.0/Windows Server 2003 R2, Enterprise x64 Edition with SP2	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 5.0/Windows Server 2003 R2, Standard x64 Edition with SP2	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 5.0/Windows Server 2003 R2 32bit	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 5.0/Windows Server 2008 R2 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 5.0/Windows Server 2008 R2 SP1(x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 5.0/Windows Server 2008 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 5.0/Windows Server 2008 SP2 (x64)	VMWare/Microsoft	
UCS C210M2 Rack Mount Server	ESXi 4.1/SUSE Linux Enterprise Server 11.1 64bit	VMWare/Novell	
UCS C210M2 Rack Mount Server	ESXi 5.0/Redhat Enterprise Linux 5.6 64bit	VMWare/Redhat	
UCS C210M2 Rack Mount Server	ESXi 5.0/Redhat Enterprise Linux 6.1 64bit	VMWare/Redhat	
UCS C210M2 Rack Mount Server	RedHat Enterprise Linux 6.1 64 bit /Windows 7 Professional with Service Pack 1 (x64)	Redhat/Microsoft	
UCS C210M2 Rack Mount Server	RedHat Enterprise Linux 6.1 64 bit/Windows 7 Enterprise with Service Pack 1 (x64)	Redhat/Microsoft	

ブレード サーバ	オペレーティング システム (ホスト OS/ ゲスト OS)	ベンダー	注記
UCS C210M2 Rack Mount Server	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 Service Pack 2 (x64)	Redhat/Microsoft	
UCS C210M2 Rack Mount Server	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2, Datacenter x64 Edition with SP2	Redhat/Microsoft	
UCS C210M2 Rack Mount Server	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2, Enterprise x64 Edition with SP2	Redhat/Microsoft	
UCS C210M2 Rack Mount Server	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2, Standard x64 Edition with SP2	Redhat/Microsoft	
UCS C210M2 Rack Mount Server	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2 32bit	Redhat/Microsoft	
UCS C210M2 Rack Mount Server	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 R2 (x64)	Redhat/Microsoft	
UCS C210M2 Rack Mount Server	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 R2 SP1(x64)	Redhat/Microsoft	
UCS C210M2 Rack Mount Server	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 (x64)	Redhat/Microsoft	
UCS C210M2 Rack Mount Server	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 SP2 (x64)	Redhat/Microsoft	
UCS C210M2 Rack Mount Server	RedHat Enterprise Linux 6.1 64 bit/SUSE Linux Enterprise Server 11.1 64bit	Redhat/Novell	
UCS C210M2 Rack Mount Server	RedHat Enterprise Linux 6.1 64 bit/Redhat Enterprise Linux 5.6 64bit	Redhat/Redhat	
UCS C210M2 Rack Mount Server	RedHat Enterprise Linux 6.1 64 bit/Redhat Enterprise Linux 6.1 64bit	Redhat/Redhat	

アダプタ相互運用性マトリクス

表 2 は、UCS C210M2 ラックマウント サーバがサポートしているネットワーク アダプタのリストです。



(注) これらのラックマウント サーバはすべてシスコが販売しています。



(注) ホスト OS を通じた、外部ネットワークへのゲスト OS の接続性をテストし、結果を確認しています。

表 2 は、UCS C210M2 ラックマウント サーバがサポートしている統合型ネットワーク アダプタのリストです。

表 2 UCS C210M2 ラックマウント サーバ

サーバ モデル	アダプタ モデル	ホスト オペレーティング システム	ゲスト オペレーティング システム	ブート	結果
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Microsoft Windows 7 Professional with Service Pack 1 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Microsoft Windows 7 Enterprise with Service Pack 1 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Microsoft Windows Server 2003 Service Pack 2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Microsoft Windows Server 2003 R2, Datacenter x64 Edition with SP2	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Microsoft Windows Server 2003 R2, Enterprise x64 Edition with SP2	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Microsoft Windows Server 2003 R2 32bit	Local Disk Boot	passed

サーバモデル	アダプタモデル	ホストオペレーティングシステム	ゲストオペレーティングシステム	ブート	結果
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Microsoft Windows Server 2008 R2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Microsoft Windows Server 2008 R2 SP1(x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Microsoft Windows Server 2008 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Microsoft Windows Server 2008 SP2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Novell SUSE Linux Enterprise Server 11.1 64bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Redhat Enterprise Linux 5.6 64bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Redhat Enterprise Linux 6.1 64bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows 7 Professional with Service Pack 1 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows 7 Enterprise with Service Pack 1 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows Server 2003 Service Pack 2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows Server 2003 R2, Datacenter x64 Edition with SP2	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows Server 2003 R2, Enterprise x64 Edition with SP2	Local Disk Boot	passed

サーバ モデル	アダプタ モデル	ホスト オペレーティング システム	ゲスト オペレーティング システム	ブート	結果
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Microsoft Windows Server 2008 R2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Microsoft Windows Server 2008 R2 SP1(x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Microsoft Windows Server 2008 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Microsoft Windows Server 2008 SP2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Novell SUSE Linux Enterprise Server 11.1 64bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Redhat Enterprise Linux 5.6 64bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1	Redhat Enterprise Linux 6.1 64bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows 7 Professional with Service Pack 1 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows 7 Enterprise with Service Pack 1 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows Server 2003 Service Pack 2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows Server 2003 R2, Datacenter x64 Edition with SP2	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows Server 2003 R2, Enterprise x64 Edition with SP2	Local Disk Boot	passed

サーバモデル	アダプタモデル	ホストオペレーティングシステム	ゲストオペレーティングシステム	ブート	結果
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows Server 2003 R2, Standard x64 Edition with SP2	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows Server 2003 R2 32bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows Server 2008 R2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows Server 2008 R2 SP1(x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows Server 2008 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Microsoft Windows Server 2008 SP2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Novell SUSE Linux Enterprise Server 11.1 64bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Redhat Enterprise Linux 5.6 64bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 4.1 U1	Redhat Enterprise Linux 6.1 64bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 5.0	Microsoft Windows 7 Professional with Service Pack 1 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 5.0	Microsoft Windows 7 Enterprise with Service Pack 1 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 5.0	Microsoft Windows Server 2003 Service Pack 2 (x64)	Local Disk Boot	passed

サーバモデル	アダプタモデル	ホストオペレーティングシステム	ゲストオペレーティングシステム	ブート	結果
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 5.0	Microsoft Windows Server 2003 R2, Datacenter x64 Edition with SP2	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 5.0	Microsoft Windows Server 2003 R2, Enterprise x64 Edition with SP2	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 5.0	Microsoft Windows Server 2003 R2, Standard x64 Edition with SP2	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 5.0	Microsoft Windows Server 2003 R2 32bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 5.0	Microsoft Windows Server 2008 R2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 5.0	Microsoft Windows Server 2008 R2 SP1(x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 5.0	Microsoft Windows Server 2008 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 5.0	Microsoft Windows Server 2008 SP2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 5.0	Novell SUSE Linux Enterprise Server 11.1 64bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 5.0	Redhat Enterprise Linux 5.6 64bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	VMWare ESXi 5.0	Redhat Enterprise Linux 6.1 64bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Redhat Enterprise Linux 6.1 64 bit	Microsoft Windows 7 Professional with Service Pack 1 (x64)	Local Disk Boot	passed

サーバモデル	アダプタモデル	ホストオペレーティングシステム	ゲストオペレーティングシステム	ブート	結果
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Redhat Enterprise Linux 6.1 64 bit	Microsoft Windows 7 Enterprise with Service Pack 1 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Redhat Enterprise Linux 6.1 64 bit	Microsoft Windows Server 2003 Service Pack 2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Redhat Enterprise Linux 6.1 64 bit	Microsoft Windows Server 2003 R2, Datacenter x64 Edition with SP2	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Redhat Enterprise Linux 6.1 64 bit	Microsoft Windows Server 2003 R2, Enterprise x64 Edition with SP2	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Redhat Enterprise Linux 6.1 64 bit	Microsoft Windows Server 2003 R2, Standard x64 Edition with SP2	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Redhat Enterprise Linux 6.1 64 bit	Microsoft Windows Server 2003 R2 32bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Redhat Enterprise Linux 6.1 64 bit	Microsoft Windows Server 2008 R2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Redhat Enterprise Linux 6.1 64 bit	Microsoft Windows Server 2008 R2 SP1(x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Redhat Enterprise Linux 6.1 64 bit	Microsoft Windows Server 2008 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Redhat Enterprise Linux 6.1 64 bit	Microsoft Windows Server 2008 SP2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Redhat Enterprise Linux 6.1 64 bit	Novell SUSE Linux Enterprise Server 11.1 64bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Redhat Enterprise Linux 6.1 64 bit	Redhat Enterprise Linux 5.6 64bit	Local Disk Boot	passed

サーバモデル	アダプタモデル	ホストオペレーティングシステム	ゲストオペレーティングシステム	ブート	結果
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Redhat Enterprise Linux 6.1 64 bit	Redhat Enterprise Linux 6.1 64bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Windows 2008 R2 HyperV	Windows 7 Professional with Service Pack 1 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Windows 2008 R2 HyperV	Windows 7 Enterprise with Service Pack 1 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Windows 2008 R2 HyperV	Windows Server 2003 Service Pack 2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Windows 2008 R2 HyperV	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Windows 2008 R2 HyperV	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Windows 2008 R2 HyperV	Windows Server 2003 R2, Standard x64 Edition with SP2	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Windows 2008 R2 HyperV	Windows Server 2003 R2 32bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Windows 2008 R2 HyperV	Windows Server 2008 R2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Windows 2008 R2 HyperV	Windows Server 2008 R2 SP1(x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Windows 2008 R2 HyperV	Windows Server 2008 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Windows 2008 R2 HyperV	Windows Server 2008 SP2 (x64)	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Windows 2008 R2 HyperV	SUSE Linux Enterprise Server 11.1 64bit	Local Disk Boot	passed

サーバ モデル	アダプタ モデル	ホスト オペレーティング システム	ゲスト オペレーティング システム	ブート	結果
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Windows 2008 R2 HyperV	Enterprise Linux 5.6 64bit	Local Disk Boot	passed
UCS C210M2 Rack Mount Server	Intel 82576 Gigabit Ethernet Onboard Controller	Windows 2008 R2 HyperV	Enterprise Linux 6.1 64bit	Local Disk Boot	passed

関連資料

『Cisco Data Center Interoperability Support Matrix』

<http://www.cisco.com/en/US/docs/switches/datacenter/mds9000/interoperability/matrix/intmatrix.html>

Cisco UCS C-Series Servers Documentation Roadmap

<http://www.cisco.com/go/unifiedcomputing/c-series-doc>

マニュアルの入手方法およびテクニカル サポート

マニュアルの入手方法、テクニカル サポート、その他の有用な情報について、次の URL で、毎月更新される『*What's New in Cisco Product Documentation*』を参照してください。シスコの新規および改訂版の技術マニュアルの一覧も示されています。

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

『*What's New in Cisco Product Documentation*』は RSS フィードとして購読できます。また、リーダーアプリケーションを使用してコンテンツがデスクトップに直接配信されるように設定することもできます。RSS フィードは無料のサービスです。シスコは現在、RSS バージョン 2.0 をサポートしています。

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

© 2012 Cisco Systems, Inc.
All rights reserved.

Copyright © 2012 シスコシステムズ合同会社.
All rights reserved.

